

BLUTIDE

taps inspired by life



INFINITY SERIES

Silk Range

Using a smaller, 25mm cartridge, the Silk range is petite and provides an elegant aesthetic for your bathroom and kitchen spaces while saving space and allowing for a sleek and streamlined look.

15

YEAR GUARANTEE
5 YEARS FOR ANY FINISH
OTHER THAN CHROME



JASWIC
APPROVED



CORROSION
RESISTANT



SERVICES
SUPPORT



DISTRIBUTION SUB
SAHARAN AFRICA



WATERMARK
APPROVED




SABS
APPROVED



Guest Basin Mixer

The Silk guest basin mixer has a reach of 111mm and a height of 132mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever



SK0A011
Brushed Brass

SK0B011
Black

SK0M011
Gunmetal


SK0S011
Brushed Stainless Steel

SK00011
Chrome

Standard Basin Mixer

The Silk standard basin mixer has a reach of 143mm and a height of 173mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever



SK0A010
Brushed Brass


SK0B010
Black

SK0M010
Gunmetal

SK0S010
Brushed Stainless Steel

SK00010
Chrome

High Basin Mixer



This high basin mixer has a reach of 176mm and a comfortable height of 273mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever

SK00012
Chrome



SK0A012
Brushed Brass



SK0B012
Black




SK0M012
Gunmetal



SK0S012
Brushed Stainless Steel

Gooseneck Basin Mixer



The gooseneck basin mixer has a reach of 140mm and a height of 268mm. Included with the mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. This mixer is supplied standard with a 4 litre per minute aerator which is the national building regulations requirement for basin mixers.

Type: Single Lever

SK00013
Chrome



SK0A013
Brushed Brass



SK0B013
Black



SK0M013
Gunmetal




SK0S013
Brushed Stainless Steel

Basin/Bath Mixer Trim

The spout on this wall mounted mixer has a comfortable reach of 174mm. The centres are 115mm apart. Required inwall part SET0014.

Type: Single Lever



SK00014T
Chrome



SK0A014T
Brushed Brass



SK0B014T
Black



SK0M014T
Gunmetal



SK0S014T
Brushed Stainless Steel




SET0014
Infinity Inwall Concealed
Basin/Bath Mixer

Spray Sink Mixer

The Silk spray sink mixer has a reach of 228 mm and the height from the base to the outlet is 230mm. Overall height is 435mm. Included with this mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.

Type: Single Lever



SK00017
Chrome



SK0A017
Brushed Brass



SK0B017
Black



SK0M017
Gunmetal




SK0S017
Brushed Stainless Steel

Sink Mixer



SK00018
Chrome



The Silk sink mixer has a reach of 192mm and the height from the base to the outlet is 295mm. Overall height is 430mm. Included with this mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm.

Type: Single Lever



SK0A018
Brushed Brass



SK0B018
Black



SK0M018
Gunmetal




SK0S018
Brushed Stainless Steel

Single Hole Sink Mixer



SK00019
Chrome



The Silk range single hole sink mixer has a swivel spout. The reach is 230mm and the height is 325mm. Included with this mixer are 2 x 1/2" braided inlet tubes that are 350mm in length. The diameter drilled into the surface (granite) for installation should be between 34-38mm in diameter.

Type: Single Lever



SK0A019
Brushed Brass



SK0B019
Black



SK0M019
Gunmetal




SK0S019
Brushed Stainless Steel

Round Free Standing Bath Mixer with Hand Shower



SK00035
Chrome



This free standing bath mixer measures 1008mm from the floor to the outlet and the spout has a reach of 200mm. The inlets are 1/2" female connections.

Type: Single Lever



SK0A035
Brushed Brass



SK0B035
Black



SK0M035
Gunmetal




SK0S035
Brushed Stainless Steel

Concealed Mixer Trim Kit

Blutide concealed mixer bodies are designed for ease of installation. Includes two 1/2" BSP inlets and one 1/2" BSP outlet. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling.

Required inwall part SET0000.

Type: Single Lever



SK00000T
Chrome



SK0A000T
Brushed Brass



SK0B000T
Black



SK0M000T
Gunmetal



SK0S000T
Brushed
Stainless Steel




SET0000
Infinity Inwall
Concealed Mixer

Concealed Diverter Trim Kit



SK00040T
Chrome



Blutide concealed diverter mixer bodies are designed for ease of installation. Includes two 1/2" BSP inlets and two 1/2" BSP outlets. In addition the body is supplied with a protective plastic sleeve. This sleeve protects the plated portion of the body during plastering and tiling. Required inwall part SET0040.

Type: Single Lever



SK0A040T
Brushed Brass



SK0B040T
Black



SK0M040T
Gunmetal



SK0S040T
Brushed
Stainless Steel



SET0040
Infinity Inwall Concealed
Diverter Mixer





BLUTIDE

taps inspired by life

PO Box 1339, Sunninghill, Sandton, Gauteng, 2157, South Africa
+27 (0)11 656 2533 | info@blutide.co.za | www.blutide.com

All products shown in Blutide's catalogues and on any of Blutide's digital platforms, are the products available in the range at the time of publication. In the interest of product development and improvement, we reserve the right to exchange or substitute items when necessary or are unable to supply. The dimensions of products shown in Blutides catalogues and on any digital platforms are for reference only. In case there is a discrepancy between the dimensions published and that of the actual product, the latter shall be taken as standard. Blutide is committed to provide complete and up-to-date information but will not assume any liability for damages arising directly or indirectly from the use of our catalogues or website. The use of trademarks, product design and artwork is subject to license or agreement with Blutide's directors and design department. The design registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited.

Errors and omissions excepted (E&OE).